

NESIRITIDE (Natrecor)		NITROGLYCERIN		NITROGLYCERIN	
Mix: 1.5 mg 250 mL D5W, NS Conc: 6 µg/mL Load: 2 µg/kg over 60 seconds Infuse: 0.01 µg/kg/min		IV load: 12.5 - 25 µg Mix: 25 mg 250 mL D5W Conc: 100 µg/mL Infuse: 5 - 20 µg/min (200 µg/min max)		IV load: 12.5 - 25 µg Mix: 50 mg 250 mL D5W Conc: 200 µg/mL Infuse: 5 - 20 µg/min (200 µg/min max)	
Pt wt (kg)	to give 0.01 µg/kg/min, set pump rate (mL/hr) on:	mL/hr	µg/min	mL/hr	µg/min
40	4	3	5	1	3.3
45	4	5	8	2	6.7
50	5	6	10	3	10
55	6	9	15	6	20
60	6	12	20	7	23
65	6	15	25	9	30
70	7	18	30	12	40
75	8	21	35	15	50
80	8	24	40	18	60
85	8	30	50	21	70
90	9	36	60	24	80
95	10	42	70	27	90
100	10	48	80	30	100
105	10	54	90	33	110
110	11	60	100	36	120
115	12	66	110	39	130
120	12	72	120	42	140
125	12	78	130	45	150
130	13	84	140	48	160
135	14	90	150	54	180
		96	160	60	200
		105	175	66	220
		114	190	72	240
		120	200	78	260

**NICARDIPINE
(Cardene)
is on page 17.**

These doses are out of the therapeutic range for this medication.
Drip Tables 14